

Publikationsliste

PD Dr. med. Katja Cattapan-Ludewig (-Sievert)
Stv. Ärztliche Direktorin
Fachärztin FMH für Psychiatrie und Psychotherapie

IF: Impact Factor; Rank: Journal Rank within Discipline (Rangperzentile des Impactfactors der Zeitschrift im jeweiligen Fachgebiet; 1.0 = bester Rang, 0.0 = schlechtester Rang)
Quelle: IF: ISI Web of Knowledge, 2008

Dissertation

Sievert K. Panikstörung und Agoraphobie: Anwendung medikamentöser und psychologischer Behandlungsmassnahmen und Zufriedenheit der Patienten mit der Behandlung. Göttingen, 1995 „magna cum laude“

Originalarbeiten in referierten Zeitschriften

(1) Bandelow B, **Sievert K**, Rothemeyer M, Hajak G, Ruther E. What treatments do patients with panic disorder and agoraphobia get? European Archives of Psychiatry and Clinical Neuroscience 1995;245(3):165-71

IF: 2.852; Rank: 0.64 (PSYCHIATRY)

(2) Bandelow B, **Sievert K**, Rothemeyer M, Hajak G, Broocks A, Ruther E. Panikstörung und Agoraphobie: Was wirkt? Fortschritte der Neurologie Psychiatrie 1995;63(11):451-64

IF: 0.793; Rank: 0.17 (PSYCHIATRY)

(3) Bandelow B, **Sievert K**, Rothemeyer M, Hajak G, Brooks A, Ruther E. Panikstörung und Agoraphobie – Welche Behandlung erhalten die Patienten? Psychopharmakotherapie 1996; 3(1):28-32

IF: 0.202; Rank: 0,05 (PSYCHIATRY)

(4) Bandelow B, Rothemeyer M, **Sievert K**, Hajak G, Ruther E. Panic Disorder. Acceptance of the diagnostic entity and treatment modalities preferred by german health professionals. European Psychiatry 1996; 11:298-305

IF: 2.433; Rank: 0.53 (PSYCHIATRY)

(5) Leumann L, Sterchi D, Vollenweider F, **Ludewig K**, Früh H. A neural network approach to the acoustic startle reflex and prepulse inhibition. Brain Research Bulletin 2001; 56(2):101-10

IF: 2.281; Rank: 0.39 (NEUROSCIENCES)

(6) Ludewig S, **Ludewig K**, Geyer MA, Hell D, Vollenweider FX. Prepulse inhibition deficits in patients with panic disorder. Depression and Anxiety 2002; 15(2):55-60

IF: 2.526; Rank: 0.55 (PSYCHIATRY)

(7) **Ludewig K**, Geyer MA, Etzensberger M, Vollenweider FX. Stability of the acoustic startle reflex, prepulse inhibition, and habituation in schizophrenia. Schizophrenia Research 2002; 55(1-2):129-37

IF: 4.174; Rank: 0.83 (PSYCHIATRY)

- (8) **Ludewig K**, Vollenweider FX. Impaired sensorimotor gating in schizophrenia with deficit and with nondeficit syndrome. *Swiss Medical Weekly* 2002; 132(13-14):159-65
IF: 1.436; Rank: 0.50 (MEDICIN, GENERAL & INTERNAL)
- (9) Leumann L, Feldon J, Vollenweider FX, **Ludewig K**. Effects of typical and atypical antipsychotics on prepulse inhibition and latent inhibition in chronic schizophrenia. *Biological Psychiatry* 2002; 52(7):729-39
IF: 8.672; Rank: 0.97 (PSYCHIATRY)
- (10) Ludewig S, **Ludewig K**. No prepulse inhibition deficits in patients with unipolar depression. *Depression and Anxiety* 2003; 17(4):224-5
IF: 2.526; Rank: 0.55 (PSYCHIATRY)
- (11) **Ludewig K**, Ludewig S, Seitz A, Obrist M, Geyer MA, Vollenweider FX. The acoustic startle reflex and its modulation: effects of age and gender in humans. *Biological Psychology* 2003; 63(3):311-23
IF: 3.686; Rank: 0.85 (PSYCHOLOGY)
- (12) **Ludewig K**, Geyer MA, Vollenweider FX. Deficits in prepulse inhibition and habituation in never-medicated, first-episode schizophrenia. *Biological Psychiatry* 2003; 54(2):121-8
IF: 8.672; Rank: 0.97 (PSYCHIATRY)
- (13) **Ludewig K**, Paulus MP, Vollenweider FX. Behavioural dysregulation of decision-making in deficit but not nondeficit schizophrenia patients. *Psychiatry Research* 2003; 119(3):293-306
IF: 2.666; Rank: 0.60 (PSYCHIATRY)
- (14) Ludewig S, Paulus MP, **Ludewig K**, Vollenweider FX. Decision-making strategies by panic disorder subjects are more sensitive to errors. *Journal of Affective Disorder* 2003; 76(1-3):183-9
IF: 3.271; Rank: 0.67 (PSYCHIATRY)
- (15) Ludewig S, Geyer MA, Ramseier M, Vollenweider FX, Rechsteiner E, **Cattapan-Ludewig K**. Information processing deficits and cognitive dysfunctions in panic disorder. *Journal of Psychiatry & Neuroscience* 2005;30(1):37-43
IF: 4.123; Rank: 0.82 (PSYCHIATRY)
- (16) **Cattapan-Ludewig K**, Hilti CC, Ludewig S, Vollenweider FX, Feldon J. Rapid visual information processing performances in schizophrenia patients: The impact of cognitive load and duration of stimulus presentation – A Pilot Study. *Neuropsychobiology* 2005;52(3):130-4
IF: 1.752; Rank: 0.34 (PSYCHIATRY)
- (17) Simon AE, Lauber C, **Ludewig K**, Braun-Scharm H, Umbricht DS. General Practitioners and Schizophrenia: Results from a Swiss Survey. *British Journal of Psychiatry* 2005;187:274-81
IF: 5.077; Rank: 0.94 (PSYCHIATRY)

- (18) Estermann A, Daepf GC, **Cattapan-Ludewig K**, Berkhoff M, Frueh BE, Goldblum D. Effect of oral donepezil (Aricept) on intraocular pressure in normotensive Alzheimer patients. *Journal of Ocular Pharmacology and Therapeutics* 2006;22(1):62-7
IF: 1.370; Rank: 0.50 (OPHTHALMOLOGY)
- (19) Kalus P, Slotboom J, Gallinat J, Mahlberg R, **Cattapan-Ludewig K**, Wiest R, Nyffeler T, Buri C, Federspiel A, Kunz D, Schroth G, Kiefer C. Assessing the gateway to the limbic system with diffusion tensor imaging: The perforant pathway in dementia. *Neuroimage* 2006;30(3):713-20
IF: 5.694; Rank: 1.00 (NEUROIMAGING)
- (20) Platz C, Umbricht DS, **Cattapan-Ludewig K**, Dvorsky D, Boesch J, Roth B, Isler E, Brenner HD, Simon AE. Help-seeking pathways in early psychosis. *Social Psychiatry and Psychiatric Epidemiology* 2006;41(12):967-74
IF: 1.959; Rank: 0.37 (PSYCHIATRY)
- (21) Orosz A, Feldon J, Gal G, Simon A, **Cattapan-Ludewig K**. Repeated measurements of learned irrelevance by a novel within-subject paradigm in humans. *Behavioural Brain Research* 2007;180(1):1-3
IF: 3.171; Rank: 0.62 (NEUROSCIENCES)
- (22) Simon AE, **Cattapan-Ludewig K**, Zmilacher S, Arbach D, Gruber K, Dvorsky DN, Roth B, Isler E, Zimmer A, Umbricht D. Cognitive Functioning in the Schizophrenia Prodrome. *Schizophrenia Bulletin* 2007;33(3):761-71
IF: 6.592; Rank: 0.95 (PSYCHIATRY)
- (23) **Cattapan-Ludewig K**, Ludewig S, Messerli N, Vollenweider FX, Seitz A, Feldon J, Paulus MP. Decision-making dysregulation in first-episode schizophrenia. *Journal Nervous Mental Disease* 2008;196(2):157-160
IF: 1.810; Rank: 0.36 (PSYCHIATRY)
- (24) Orosz A, Feldon J, Gal G, Simon AE, **Cattapan-Ludewig K**. Deficient associative learning in drug-naive first-episode schizophrenia: results obtained using a new visual within-subjects learned irrelevance paradigm. *Behavioural Brain Research* 2008, 193(1):101-7
IF: 3.171; Rank: 0.62 (NEUROSCIENCES)
- (25) Des Courtis N, Lauber C, Nordt C, Costa CT, **Cattapan-Ludewig K**. Beliefs about the mentally ill: a comparative study between Brazilian and Swiss health-care professionals. *International Review of Psychiatry*, 2008,20(6):503-9
IF: 1.563; Rank: 0.47 (SOCIAL SCIENCES - PSYCHIATRY)
- (26) Simon AE, **Cattapan-Ludewig K**, Gruber K, Ouertani J, Zimmer J, Rothe B, Isler E, Umbricht D. Subclinical hallucinations in adolescent outpatients Schizophrenia Research: an outcome study. *Schizophrenia Research* 2009;108(1-3):265-71
IF: 4.174; Rank: 0.83 (PSYCHIATRY)

(27) Habermeyer B, Herdener M, Esposito F, Hilti CC, Klarhöfer M, Di Salle F, Wetzel S, Scheffler K, **Cattapan-Ludewig K**, Seifritz E. Neural correlates of pre-attentive processing of pattern deviance in professional musicians. *Human Brain Mapping* 2009;30(11):3736-47
IF: 5.395; Rank: 0.92 (NEUROIMAGING)

(28) Stephan MA, Meier B, Orosz A, **Cattapan-Ludewig K**, Kaelin-Lang A. Interference during implicit learning of two different motor sequences. *Experimental Brain Research* 2009 Jun;196(2):253-61
IF: 2.195; Rank: 0.36 (NEUROSCIENCES)

(29) Kiefer C, Brockhaus L, **Cattapan-Ludewig K**, Ballinari P, Burren Y, Schroth G, Wiest R. Multi-parametric classification of dementia by means of quantitative magnetization transfer and diffusion MR imaging. *Neuroimage* 2009;48(4):657-67
IF: 5.694; Rank: 1.0 (NEUROIMAGING)

(30) Hilti CC, Delko T, Orosz AT, Thomann K, Ludewig S, Geyer MA, Vollenweider FX, Feldon J, **Cattapan-Ludewig K**. Sustained Attention and Planning Deficits but Intact Attentional Set-Shifting in Neuroleptic-Naïve First-Episode Schizophrenia Patients. *Neuropsychobiology* 2009;61(2):79-86
IF: 1.752; Rank: 0.34 (PSYCHIATRY)

(31) Orosz AE, Feldon J, Simon AE, Hilti LM, Gruber K, Yee BK, **Cattapan-Ludewig K**. Learned Irrelevance and associative learning is attenuated in individuals at risk for psychosis but not in asymptomatic first-degree relatives of schizophrenia patients: Translational state markers of psychosis? *Schizophrenia Bulletin*, in press
IF: 6.592; Rank: 0.95 (PSYCHIATRY)

(32) Herdener M, Esposito F, Di Salle F, Boller C, Hilti CC, Habermeyer B; Scheffler K, Wetzel S, Seifritz E, **Cattapan-Ludwig K**. Musical training induces functional plasticity in human hippocampus. *Journal of Neuroscience* 2010;30(4):1377-84
IF: 7.542; Rank: 0.93 (NEUROSCIENCES)

(33) Hilti C, Hilti L, Seifritz E, **Cattapan-Ludewig K**. Impaired sustained attentional Performance as measured with the Rapid Visual Information Processing Task (RVIP) is an endophenotype for schizophrenia. *Psychiatry Research*, in press
IF: 2.666; Rank: 0.60 (PSYCHIATRY)

(34) Simon A, Jegerlehner S, Müller T, **Cattapan-Ludewig K**, Frey P, Gossenbacher M, Seifritz E, Umbricht D. Early schizophrenia in primary care: a randomized sensitization study. *British Journal of General Practice*, accepted
IF: 2.278; Rank: 0.73 (MEDICIN, GENERAL & INTERNAL)

Übersichtsarbeiten in referierten Zeitschriften

(35) **Cattapan-Ludewig K**, Ludewig S, Etzensberger M, Jaquenoud Sirot E, Hasler F. Warum rauchen Schizophreniepatienten? Nervenarzt 2005, 76(3):287-94
IF: 0.814; Rank: 0.19 (PSYCHIATRY)

Andere Publikationen

(36) Hilti CC, **Cattapan-Ludewig K**, Geyer MA. Prepulse Inhibition - a paradigm to assess gating functions in schizophrenia patients (chapter 10). In: D.P. French: Schizophrenic Psychology: New Research. Nova Science Publishers, Inc, Hauppauge N.Y., 2006, pp. 211-238 (Buchkapitel)

(37) Orosz AT, **Cattapan-Ludewig K**, Feldon J. Latent inhibition and learned irrelevance paradigms: a convenient way to assess information processing deficits in schizophrenia. In: K.V. Almann: Schizophrenia Research Trends. Nova Science Publishers, Inc, Hauppauge N.Y., 2007, pp. 137-161 (Buchkapitel)

(38) Feth N, **Cattapan-Ludewig K**, Jaquenoud Sirot E. Electric sensations - Neglected escitalopram discontinuation symptoms. American Journal of Psychiatry 2006; 163(1):160 (Letter to the editor)
IF: 10.545; Rank: 0.98 (PSYCHIATRY)

(39) **Cattapan-Ludewig K**. Debatte: Pro & Kontra - Pro: Rauchfreie Psychiatrie - eine Illusion. Psychiatrische Praxis 2008, 35(1):5-7
IF: 1.115; Rank: 0.37 (SOCIAL SCIENCES - PSYCHIATRY)

Nicht peer-reviewed Übersichtsarbeiten

(40) Simon AE, Lauber C, **Ludewig K**, Merlo MCG, Umbricht D. Früherkennung von schizophrenen Psychosen in der Hausarztpraxis. Schweizerische Ärztezeitung 2001; 82(9):444-450

(41) Hänggi S, **Ludewig K**. Früherkennung von Psychosen - Tipps fürs Hausärzte. Die schweizerische Arzt & Spital-Revue 2001; 3: 12-16

(42) Vollenweider FX, Vollenweider-Scherpenhuyzen MFI, **Ludewig K**. Das gefährdete Ich - zwischen Wahn und Wirklichkeit. Gehirn und Geist - Spektrum der Wissenschaft; 4/02: 36-42

(43) Simon AE, Lauber C, **Ludewig K**, Umbricht DS. Cannabis und Psychose. Schweizerisches Medizinisches Forum 2004; 4: 636-639

(44) **Cattapan-Ludewig K**, Seifritz E. Neue Psychopharmaka: Antipsychotika. Therapeutische Umschau 2009; 66: 402-406

(45) Simon AE, **Cattapan-Ludewig K**, Umbricht D. Psychose-Risiko bei Jugendlichen und jungen Erwachsenen: Über- oder unterschätzt? Schweiz Med Forum 2009; 9(44):798-99

(46) **Cattapan-Ludewig K**, Seifritz E. Ätiologie von depressiven Störungen – „das Biopsychosoziale Modell“ Therapeutische Umschau, submitted

Peer-reviewed Abstracts

Bandelow B, **Sievert K**, Hajak G, Rüter E. Die Behandlung von Panikstörung und Agoraphobie aus Sicht der Patienten. Fortschritte der Neurologie Psychiatrie 1994; 62:127

Bandelow B, Rothemeyer M, **Sievert K**, Hajak G, Ruther E. Panic disorder – acceptance of the diagnostic entity and preferred treatment. Pharmacopsychiatry 1995; 28:161

Bandelow B, **Sievert K**, Rothemeyer M, Ruther E. Panic disorder and agoraphobia: What is effective? Neuropharmacology 1996; 6 (Suppl. 4):S152

Leumann LR, **Ludewig K**, Vollenweider, FX, Früh H.R. Acoustic startle and prepulse inhibition: Insights into the dynamics by means of neural network simulation. Neuropsychiatry 2000; 123:P-38

Ludewig K, Paulus MP, Etzensberger M, Vollenweider, FX. Decision-making and negative symptoms in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience 2000; 250(Suppl 1):I/34

Ludewig S, **Ludewig K**, Hell D, Vollenweider FX. Panic disorder in information-processing. European Archives of Psychiatry and Clinical Neuroscience 2000; 250(Suppl 1):I/18

Ludewig K, Etzensberger M, Vollenweider, FX. Impaired startle prepulse inhibition – A trait-marker in schizophrenia? European Archives of Psychiatry and Clinical Neuroscience 2000; 250(Suppl 1):I/32

Ludewig K, Paulus MP, Vollenweider FX. Behavioural dysregulation of decision-making in deficit but not nondéficit schizophrenia patients. Schizophrenia Research 49:139

Vollenweider FX, Bächle D, **Ludewig K**, Buck A, Geyer MA, Hell D. Brain activation patterns of prepulse inhibition in humans: A [H215O] PET study. Neuropharmacology 2001; 11(Suppl. 3):S359-S360

Ludewig K, Ludewig S, Seitz A, Obrist M, Vollenweider FX. Prepulse inhibition: Age- and gender-effects in healthy comparisons. Neuropharmacology 2001; 11(Suppl. 3):S358-S359

Ludewig S, **Ludewig K**, Geyer M, Hell D, Vollenweider FX. Deficient prepulse inhibition of the acoustic startle reflex in panic disorder. *Neuropharmacology* 2001; 11(Suppl. 3):S312

Leumann L, **Ludewig K**, Vollenweider FX, Feldon J. Latent inhibition in schizophrenia revisited. *World J Biological Psychiatry* 2001; 2(S1):295S

Ludewig K, Geyer MA, Etzensberger M, Vollenweider FX. PPI in deficit vs. non-deficit schizophrenia. *World Journal of Biological Psychiatry* 2001; 2(S1):286S

Ludewig K, Vollenweider FX. Prepulse inhibition in humans - methodological arguments. *Pharmacopsychiatry* 2001; 5(34):188

Ludewig K, Ludewig S, Vollenweider FX. Decreased habituation of the acoustic startle reflex in unmedicated first episode schizophrenia. *Pharmacopsychiatry* 2001; 5(34):187

Ludewig S, **Ludewig K**, Geyer MA, Hell D, Vollenweider. PPI deficit in panic disorder patients correlated with high trait anxiety. *Pharmacopsychiatry* 2001; 5(34):188

Vollenweider FX, **Ludewig K**, Geyer M, Hell D. Brain activation patterns of prepulse inhibition in humans: A [¹⁸F]PET study. *Pharmacopsychiatry* 2001; 5(34):206

Ludewig K, Ludewig S, Geyer MA, Vollenweider FX. Sensory gating and attention in first-episode schizophrenia. *Schizophrenia Research* 2002; 53: 216-217

Vollenweider FX, **Ludewig K**, Geyer M, Hell D. Aberrant cortical and thalamic activation during prepulse inhibition in schizophrenia patients: A [(H₂O)-O-15]PET study. *Schizophrenia Research* 2002; 53:223

Ludewig K, Geyer MA, Vollenweider FX. Prepulse inhibition and habituation in first-episode schizophrenia. *Biological Psychiatry* 2003; 53:118S

Ludewig S, **Ludewig K**, Hasler F, Vollenweider FX. No lasting effects of moderate doses of MDMA (ecstasy) on memory performance and mood states in healthy humans. *Biological Psychiatry* 2003; 53:205S

Ludewig K, Ludewig S, Paulus MP. Different aspects of executive function in first-episode schizophrenia. *Pharmacopsychiatry* 2003; 36:245

Ludewig S, **Ludewig K**, Geyer MA. Deficient information processing and dysfunctional cognitions in unmedicated panic disorder patients. *Pharmacopsychiatry* 2003; 36:245

Ludewig K, Ludewig S, Vollenweider FX, Seitz A, Feldon J, Paulus, M.P. Decision-making dysfunctions in first-episode schizophrenia patients are related to deficits in planning and extradimensional set-shifting. *Biological Psychiatry* 2004; 55:77S

Ludewig S, Geyer MA, Rechsteiner E, Vollenweider FX, **Ludewig K**. PPI-Deficits and cognitive dysfunctions in patients with panic disorder. *Biological Psychiatry* 2004; 55:205S

Orosz AT, Feldon J, Gal G, **Ludewig K**. Deficient latent inhibition in unmedicated first-episode schizophrenia. *European Archives of Psychiatry and Clinical Neuroscience* 2004; 254, Supplement 1: I/32

Herdener M, Hilti CC, Esposito F, Habermeyer B, Schneider P, Scheffler K, Wetzel S, Di Salle F, Seifritz E, **Cattapan-Ludewig K**. Funktionelle Unterschiede in der Verarbeitung akustischer Information im Hippokampus bei professionellen Musikern und musikalischen Laien – ein Modell für Neuroplastizität. *Der Nervenarzt* 2006; 77 (Suppl. 3): 345

Cattapan-Ludewig K, Hilti LM, Hilti CC, Orosz AT, Feldon J, Simon AE, Seifritz E. Aufmerksamkeitsbezogene Endophänotypen der Schizophrenie (I) – Methodologische Überlegungen. *Der Nervenarzt* 2007; 78 (Suppl. 2): 82

Orosz A, Hilti L, Hilti C, Simon A, Feldon J, **Cattapan-Ludewig K**. Aufmerksamkeitsbezogene Endophänotypen der Schizophrenie (II) – Beeinträchtigte attentive Informationsverarbeitung bei Verwandten schizophrener Patienten. *Der Nervenarzt* 2007; 78 (Suppl. 2): 308

Hilti C, Hilti L, Orosz A, Seifritz E, **Cattapan-Ludewig K**. Aufmerksamkeitsbezogene endophänotypen der Schizophrenie (III) – Beeinträchtigte Daueraufmerksamkeit bei Verwandten schizophrener Patienten. *Der Nervenarzt* 2007; 78 (Suppl. 2): 77

Hilti LM, Hilti CC, Seifritz E, **Cattapan-Ludewig K**. Sustained attentional performance of healthy first-degree relatives of schizophrenia patients. *Schizophrenia Research* 2008; 98: 22-23

Hilti LM, Hilti CC, Seifritz E, **Cattapan-Ludewig K**. Impaired sustained attentional performance is an endophenotype for schizophrenia. *European Archives of Psychiatry + Clinical Neuroscience* 2008;258 (Suppl.4): 28

Pitterl M, Messerli-Bürgy N, Schläpfer TE, Kosel M, von Bardeleben U, Soyka M, Fisch HU, Laederach-Hofmann K, **Cattapan-Ludewig K**. Alkoholabhängigkeit und TMS-Doppelpulsmethode. *Schweizer Archiv für Neurologie und Psychiatrie* 2008, 159(7), 460

Pitterl M, Messerli-Bürgy N, Schläpfer TE, Kosel M, von Bardeleben U, Soyka M, Fisch HU, Laederach-Hofmann K, **Cattapan-Ludewig K**. Kortikale Inhibition bei Alkoholabhängigkeit – Untersuchung mit der TMS-Doppelpulsmethode, *Nervenarzt* 2008, suppl. 4, 79: 284